

EAST Browser - L14: (2) bit r or 4 mu... | US 5704024 A | Tag: S | Doc 2/2 | Format : KWIC

File Edit View Tools Window Help

US-PAT-NO: 5704024

DOCUMENT-IDENTIFIER: US 5704024 A

TITLE: Method and an apparatus for generating reflection vectors which can be unnormalized and for using these reflection vectors to index locations on an environment map

KWIC

Detailed Description Text - DETX(30):

The select logic 1510 is coupled to receive the components Rx, Ry, Rz of the reflection vector and determines the component of the reflection vector that has the largest magnitude. The select logic unit 1510 also determines the sign of the reflection vector's component with the largest magnitude. Based on these determinations, select logic 1510 (1) supplies a two-bit signal to multiplexor 1515 in order to cause this multiplexor to identify the axis of this largest coordinate as the major axis, and (2) supplies a three-bit signal on line 1530, which identifies the indexed face of the cubic environment map, to conventional texture mapping hardware.

FIG. 1

FIG. 2

FIG. 3

FIG. 4

FIG. 5

FIG. 6

FIG. 7

FIG. 8

FIG. 9

FIG. 10

FIG. 11

FIG. 12

FIG. 13

FIG. 14

FIG. 15

FIG. 16

FIG. 17

FIG. 18

FIG. 19

FIG. 20

FIG. 21

FIG. 22

FIG. 23

FIG. 24

FIG. 25

FIG. 26

FIG. 27

FIG. 28

FIG. 29

FIG. 30

FIG. 31

FIG. 32

FIG. 33

FIG. 34

FIG. 35

FIG. 36

FIG. 37

FIG. 38

FIG. 39

FIG. 40

FIG. 41

FIG. 42

FIG. 43

FIG. 44

FIG. 45

FIG. 46

FIG. 47

FIG. 48

FIG. 49

FIG. 50

FIG. 51

FIG. 52

FIG. 53

FIG. 54

FIG. 55

FIG. 56

FIG. 57

FIG. 58

FIG. 59

FIG. 60

FIG. 61

FIG. 62

FIG. 63

FIG. 64

FIG. 65

FIG. 66

FIG. 67

FIG. 68

FIG. 69

FIG. 70

FIG. 71

FIG. 72

FIG. 73

FIG. 74

FIG. 75

FIG. 76

FIG. 77

FIG. 78

FIG. 79

FIG. 80

FIG. 81

FIG. 82

FIG. 83

FIG. 84

FIG. 85

FIG. 86

FIG. 87

FIG. 88

FIG. 89

FIG. 90

FIG. 91

FIG. 92

FIG. 93

FIG. 94

FIG. 95

FIG. 96

FIG. 97

FIG. 98

FIG. 99

FIG. 100

FIG. 101

FIG. 102

FIG. 103

FIG. 104

FIG. 105

FIG. 106

FIG. 107

FIG. 108

FIG. 109

FIG. 110

FIG. 111

FIG. 112

FIG. 113

FIG. 114

FIG. 115

FIG. 116

FIG. 117

FIG. 118

FIG. 119

FIG. 120

FIG. 121

FIG. 122

FIG. 123

FIG. 124

FIG. 125

FIG. 126

FIG. 127

FIG. 128

FIG. 129

FIG. 130

FIG. 131

FIG. 132

FIG. 133

FIG. 134

FIG. 135

FIG. 136

FIG. 137

FIG. 138

FIG. 139

FIG. 140

FIG. 141

FIG. 142

FIG. 143

FIG. 144

FIG. 145

FIG. 146

FIG. 147

FIG. 148

FIG. 149

FIG. 150

FIG. 151

FIG. 152

FIG. 153

FIG. 154

FIG. 155

FIG. 156

FIG. 157

FIG. 158

FIG. 159

FIG. 160

FIG. 161

FIG. 162

FIG. 163

FIG. 164

FIG. 165

FIG. 166

FIG. 167

FIG. 168

FIG. 169

FIG. 170

FIG. 171

FIG. 172

FIG. 173

FIG. 174

FIG. 175

FIG. 176

FIG. 177

FIG. 178

FIG. 179

FIG. 180

FIG. 181

FIG. 182

FIG. 183

FIG. 184

FIG. 185

FIG. 186

FIG. 187

FIG. 188

FIG. 189

FIG. 190

FIG. 191

FIG. 192

FIG. 193

FIG. 194

FIG. 195

FIG. 196

FIG. 197

FIG. 198

FIG. 199

FIG. 200

FIG. 201

FIG. 202

FIG. 203

FIG. 204

FIG. 205

FIG. 206

FIG. 207

FIG. 208

FIG. 209

FIG. 210

FIG. 211

FIG. 212

FIG. 213

FIG. 214

FIG. 215

FIG. 216

FIG. 217

FIG. 218

FIG. 219

FIG. 220

FIG. 221

FIG. 222

FIG. 223

FIG. 224

FIG. 225

FIG. 226

FIG. 227

FIG. 228

FIG. 229

FIG. 230

FIG. 231

FIG. 232

FIG. 233

FIG. 234

FIG. 235

FIG. 236

FIG. 237

FIG. 238

FIG. 239

FIG. 240

FIG. 241

FIG. 242

FIG. 243

FIG. 244

FIG. 245

FIG. 246

FIG. 247

FIG. 248

FIG. 249

FIG. 250

FIG. 251

FIG. 252

FIG. 253

FIG. 254

FIG. 255

FIG. 256

FIG. 257

FIG. 258

FIG. 259

FIG. 260

FIG. 261

FIG. 262

FIG. 263

FIG. 264

FIG. 265

FIG. 266

FIG. 267

FIG. 268

FIG. 269

FIG. 270

FIG. 271

FIG. 272

FIG. 273

FIG. 274

FIG. 275

FIG. 276

FIG. 277

FIG. 278

FIG. 279

FIG. 280

FIG. 281

FIG. 282

FIG. 283

FIG. 284

FIG. 285

FIG. 286

FIG. 287

FIG. 288

FIG. 289

FIG. 290

FIG. 291

FIG. 292

FIG. 293

FIG. 294

FIG. 295

FIG. 296

FIG. 297

FIG. 298

FIG. 299

FIG. 300

FIG. 301

FIG. 302

FIG. 303

FIG. 304

FIG. 305

FIG. 306

FIG. 307

FIG. 308

FIG. 309

FIG. 310

FIG. 311

FIG. 312

FIG. 313

FIG. 314

FIG. 315

FIG. 316

FIG. 317

FIG. 318

FIG. 319

FIG. 320

FIG. 321

FIG. 322

FIG. 323

FIG. 324

FIG. 325

FIG. 326

FIG. 327

FIG. 328

FIG. 329

FIG. 330

FIG. 331

FIG. 332

FIG. 333

FIG. 334

FIG. 335

FIG. 336

FIG. 337

FIG. 338

FIG. 339

FIG. 340

FIG. 341

FIG. 342

FIG. 343

FIG. 344

FIG. 345

FIG. 346

FIG. 347

FIG. 348

FIG. 349

FIG. 350

FIG. 351

FIG. 352

FIG. 353

FIG. 354

FIG. 355

FIG. 356

FIG. 357

FIG. 358

FIG. 359

FIG. 360

FIG. 361

FIG. 362

FIG. 363

FIG. 364

FIG. 365

FIG. 366

FIG. 367

FIG. 368

FIG. 369

FIG. 370

FIG. 371

FIG. 372

FIG. 373

FIG. 374

FIG. 375

FIG. 376

FIG. 377

FIG. 378

FIG. 379

FIG. 380

FIG. 381

FIG. 382

FIG. 383

FIG. 384

FIG. 385

FIG. 386

FIG. 387

FIG. 388

FIG. 389

FIG. 390

FIG. 391

FIG. 392

FIG. 393

FIG. 394

FIG. 395

FIG. 396

FIG. 397

FIG. 398

FIG. 399

FIG. 400

FIG. 401

FIG. 402

FIG. 403

FIG. 404

FIG. 405

FIG. 406

FIG. 407

FIG. 408

FIG. 409

FIG. 410

FIG. 411

FIG. 412

FIG. 413

FIG. 414

FIG. 415

FIG. 416

FIG. 417

FIG. 418

FIG. 419

FIG. 420

FIG. 421

FIG. 422

FIG. 423

FIG. 424

FIG. 425

FIG. 426

FIG. 427

FIG. 428

FIG. 429

FIG. 430

FIG. 431

FIG. 432

FIG. 433

FIG. 434

FIG. 435

FIG. 436

FIG. 437

FIG. 438

FIG. 439

FIG. 440

FIG. 441

FIG. 442

FIG. 443

FIG. 444

FIG. 445

FIG. 446

FIG. 447

FIG. 448

FIG. 449

FIG. 450

FIG. 451

FIG. 452

FIG. 453

FIG. 454

FIG. 455

FIG. 456

FIG. 457

FIG. 458

FIG. 459

FIG. 460

FIG. 461

FIG. 462

FIG. 463

FIG. 464

FIG. 465

FIG. 466

FIG. 467

FIG. 468

FIG. 469

FIG. 470

FIG. 471

FIG. 472

FIG. 473

FIG. 474

FIG. 475

FIG. 476

FIG. 477

FIG. 478

FIG. 479

FIG. 480

FIG. 481

FIG. 482

FIG. 483

FIG. 484

FIG. 485

FIG. 486

FIG. 487

FIG. 488

FIG. 489

FIG. 490

FIG. 491

FIG. 492

FIG. 493

FIG. 494

FIG. 495

FIG. 496

FIG. 497

FIG. 498

FIG. 499

FIG. 500

FIG. 501

FIG. 502

FIG. 503

FIG. 504

FIG. 505

FIG. 506

FIG. 507

FIG. 508

FIG. 509

FIG. 510

FIG. 511

FIG. 512

FIG. 513

FIG. 514

FIG. 515

FIG. 516

FIG. 517

FIG. 518

FIG. 519

FIG. 520

FIG. 521

FIG. 522

FIG. 523

FIG. 524

FIG. 525

FIG. 526

FIG. 527

FIG. 528

FIG. 529

FIG. 530

FIG. 531

FIG. 532

FIG. 533

FIG. 534

FIG. 535

FIG. 536

FIG. 537

FIG. 538

FIG. 539

FIG. 540

FIG. 541

FIG. 542

FIG. 543

FIG. 544

FIG. 545

FIG. 546

FIG. 547

FIG. 548

FIG. 549

FIG. 550

FIG. 551

FIG. 552

FIG. 553

FIG. 554

FIG. 555

FIG. 556

FIG. 557

FIG. 558

FIG. 559

FIG. 560

FIG. 561

FIG. 562

FIG. 563

FIG. 564

FIG. 565

FIG. 566

FIG. 567

FIG. 568

FIG. 569

FIG. 570

FIG. 571

FIG. 572

FIG. 573

FIG. 574

FIG. 575

FIG. 576

FIG. 577

FIG. 578

FIG. 579

FIG. 580

FIG. 581

FIG. 582

FIG. 583

FIG. 584

FIG. 585

FIG. 586

FIG. 587

FIG. 588

FIG. 589

FIG. 590

FIG. 591

FIG. 592

FIG. 593

FIG. 594

FIG. 595

FIG. 596

FIG. 597

FIG. 598

FIG. 599

FIG. 600

FIG. 601

FIG. 602

FIG. 603

FIG. 604

FIG. 605

FIG. 606

FIG. 607

FIG. 608

FIG. 609

FIG. 610

FIG. 611

FIG. 612

FIG. 613

FIG. 614

FIG. 615

FIG. 616

FIG. 617

FIG. 618

FIG. 619

FIG. 620

FIG. 621

FIG. 622

FIG. 623

FIG. 624

FIG. 625

FIG. 626

FIG. 627

FIG. 628

FIG. 629

FIG. 630

FIG. 631

FIG. 632

FIG. 633

FIG. 634

FIG. 635

FIG. 636

FIG. 637

FIG. 638

FIG. 639

FIG. 640

FIG. 641

FIG. 642

FIG. 643

FIG. 644

FIG. 645

FIG. 646

FIG. 647

FIG. 648

FIG. 649

FIG. 650

FIG. 651

FIG. 652

FIG. 653

FIG. 654

FIG. 655

FIG. 656

FIG. 657

FIG. 658

FIG. 659

FIG. 660

FIG. 661

FIG. 662

FIG. 663

FIG. 664

FIG. 665

FIG. 666

FIG. 667

FIG. 668

FIG. 669

FIG. 670

FIG. 671

FIG. 672

FIG. 673

FIG. 674

FIG. 675

FIG. 676

FIG. 677

FIG. 678

FIG. 679

FIG. 680

FIG. 681

FIG. 682

FIG. 683

FIG. 684

FIG. 685

FIG. 686

FIG. 687

FIG. 688

FIG. 689

FIG. 690

FIG. 691

FIG. 692

FIG. 693

FIG. 694

FIG. 695

FIG. 696

FIG. 697

FIG. 698

FIG. 699

FIG. 700

FIG. 701

FIG. 702

FIG. 703

FIG. 704

FIG. 705

FIG. 706

FIG. 707

FIG. 708

FIG. 709

FIG. 710

FIG. 711

FIG. 712

FIG. 713

FIG. 714

FIG. 715

FIG. 716

FIG. 717

FIG. 718

FIG. 719

FIG. 720

FIG. 721

FIG. 722

FIG. 723

FIG. 724

FIG. 725

FIG. 726

FIG. 727

FIG. 728

FIG. 729

FIG. 730

FIG. 731

FIG. 732

FIG. 733

FIG. 734

FIG. 735

FIG. 736

FIG. 737

FIG. 738

FIG. 739

FIG. 740

FIG. 741

FIG. 742

FIG. 743

FIG. 744

FIG. 745

FIG. 746

FIG. 747

FIG. 748

FIG. 749

FIG. 750

FIG. 751

FIG. 752

FIG. 753

FIG. 754

FIG. 755

FIG. 756

FIG. 757

FIG. 758

FIG. 759

FIG. 760

FIG. 761

FIG. 762

FIG. 763

FIG. 764

FIG. 765

FIG. 766

FIG. 767

FIG. 768

FIG. 769

FIG. 770

FIG. 771

FIG. 772

FIG. 773

FIG. 774

FIG. 775

FIG. 776

FIG. 777

FIG. 778

FIG. 779

FIG. 780

FIG. 781

FIG. 782

FIG. 783

FIG. 784

FIG. 785

FIG. 786

FIG. 787

FIG. 788

FIG. 789

FIG. 790

FIG. 791

FIG. 792

FIG. 793

FIG. 794

FIG. 795

FIG. 796

FIG. 797

FIG. 798

FIG. 799

FIG. 800

FIG. 801

FIG. 802

FIG. 803

FIG. 804

FIG. 805

FIG. 806

FIG. 807

FIG. 808

FIG. 809

FIG. 810

FIG. 811

FIG. 812

FIG. 813

FIG. 814

FIG. 815

FIG. 816

FIG. 817

FIG. 818

FIG. 819

FIG. 820

FIG. 821

FIG. 822

FIG. 823

FIG. 824

FIG. 825

FIG. 826

FIG. 827

FIG. 828

FIG. 829

FIG. 830

FIG. 831

FIG. 832

FIG. 833

FIG. 834

FIG. 835

FIG. 836

FIG. 837

FIG. 838

FIG. 839

FIG. 840

FIG. 841

FIG. 842

FIG. 843

FIG. 844

FIG. 845

FIG. 846

FIG. 847

FIG. 848

FIG. 849

FIG. 850

FIG. 851

FIG. 852

FIG. 853

FIG. 854

FIG. 855

FIG. 856

FIG. 857

FIG. 858

FIG. 859

FIG. 860

FIG. 861

FIG. 862

FIG. 863

FIG. 864

FIG. 865

FIG. 866

FIG. 867

FIG. 868

FIG. 869

FIG. 870

FIG. 871

FIG. 872

FIG. 873

FIG. 874

FIG. 875

FIG. 876

FIG. 877

FIG. 878

FIG. 879

FIG. 880

FIG. 881

FIG. 882

FIG. 883

FIG. 884

FIG. 885

FIG. 886

FIG. 887

FIG. 888

FIG. 889

FIG. 890

FIG. 891

FIG. 892

FIG. 893

FIG. 894

FIG. 895

FIG. 896

FIG. 897

FIG. 898

FIG. 899

FIG. 900

FIG. 901

FIG. 902

FIG. 903

FIG. 904

FIG. 905

FIG. 906

FIG. 907

FIG. 908

FIG. 909

FIG. 910

FIG. 911

FIG. 912

FIG. 913

FIG. 914

FIG. 915

FIG. 916

FIG. 917

FIG. 918

FIG. 919

FIG. 920

FIG. 921

FIG. 922

FIG. 923

FIG. 924

FIG. 925

FIG. 926

FIG. 927

FIG. 928

FIG. 929

FIG. 930

FIG. 931

FIG. 932

FIG. 933

FIG. 934

FIG. 935

FIG. 936

FIG. 937

FIG. 938

FIG. 939

FIG. 940

FIG. 941

FIG. 942

FIG. 943

FIG. 944

FIG. 945

FIG. 946

FIG. 947

FIG. 948

FIG. 949

FIG. 950

FIG. 951

FIG. 952

FIG. 953

FIG. 954

FIG. 955

FIG. 956

FIG. 957

FIG. 958

FIG. 959

FIG. 960

FIG. 961

FIG. 962

FIG. 963

FIG. 964

FIG. 965

FIG. 966

FIG. 967

FIG. 968

FIG. 969

FIG. 970

FIG. 971

FIG. 972

FIG. 973

FIG. 974

FIG. 975

FIG. 976

FIG. 977

FIG. 978

FIG. 979

FIG. 980

FIG. 981

FIG. 982

FIG. 983

FIG. 984

FIG. 985

FIG. 986

FIG. 987

FIG. 988

FIG. 989

FIG. 990

FIG. 991

FIG. 992

FIG. 993

FIG. 994

FIG. 995

FIG. 996

FIG. 997

FIG. 998

FIG. 999

FIG. 1000

FIG. 1001

FIG. 1002

FIG. 1003

FIG. 1004

FIG. 1005

FIG. 1006

FIG. 1007

FIG. 1008

FIG. 1009

FIG. 1010

FIG. 1011

FIG. 1012

FIG. 1013

FIG. 1014

FIG. 1015

FIG. 1016

FIG. 1017

FIG. 1018

FIG. 1019

FIG. 1020

FIG. 1021

FIG. 1022

FIG. 1023

FIG. 1024

FIG. 1025

FIG. 1026

FIG. 1027

FIG. 1028

FIG. 1029

FIG. 1030

FIG. 1031

FIG. 1032

FIG. 1033

FIG. 1034

FIG. 1035

FIG. 1036

FIG. 1037

FIG. 1038

FIG. 1039

FIG. 1040

FIG. 1041

FIG. 1042

FIG. 1043

FIG. 1044

FIG. 1045

FIG. 1046

FIG. 1047

FIG. 1048

FIG. 1049

FIG. 1050

FIG. 1051

FIG. 1052

FIG. 1053

FIG. 1054

FIG. 1055

FIG. 1056

FIG. 1057

FIG. 1058

FIG. 1059

FIG. 1060

FIG. 1061

FIG. 1062

FIG. 1063

FIG. 1064

FIG. 1065

FIG. 1066

FIG. 1067

FIG. 1068

FIG. 1069

FIG. 1070

FIG. 1071

FIG. 1072

FIG. 1073

FIG. 1074

FIG. 1075

FIG. 1076

FIG. 1077

FIG. 1078

FIG. 1079

FIG. 1080

FIG. 1081

FIG. 1082

FIG. 1083

FIG. 1084

FIG. 1085

FIG. 1086

FIG. 1087

FIG. 1088

FIG. 1089

FIG. 1090

FIG. 1091

FIG. 1092

FIG. 1093

FIG. 1094

FIG. 1095

FIG. 1096

FIG. 1097

DERWENT-ACC-NO: 2000-231625

DERWENT-WEEK: 200021

COPYRIGHT 1999 DERWENT INFORMATION LTD

TITLE: Game apparatus for commercial  
advertisement display,  
performs texture mapping to specific area on  
three  
dimensional game screen

PATENT-ASSIGNEE: NAMCO LTD[NAMCN]

PRIORITY-DATA: 1998JP-0222534 (August 6, 1998)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE
PAGES MAIN-IPC		
JP 2000051519 A	February 22, 2000	N/A
007 A63F 013/00		

APPLICATION-DATA:

PUB-NO	APPL-DESCRIPTOR	APPL-NO
APPL-DATE		
JP2000051519A	N/A	1998JP-0222534
August 6, 1998		

INT-CL (IPC): A63F013/00

ABSTRACTED-PUB-NO: JP2000051519A

**BASIC-ABSTRACT:**

**NOVELTY** - The advertising data including notice period data is acquired and is converted as a 3D image. By texture mapping to specific area on 3D game screen, advertising data is displayed.

**USE** - For displaying commercial advertisements.

**ADVANTAGE** - Advertising data acquired is changed to 3D image, thereby advertising content can be changed arbitrarily. The game screen is of 3D and with high level description power. Advertising contents are updated by communication, thereby the income for the advertiser is increased. **DESCRIPTION**

**OF DRAWING(S)** - The figure shows block diagram of game apparatus.

**CHOSEN-DRAWING:** Dwg.3/6

**TITLE-TERMS:** GAME APPARATUS COMMERCIAL  
ADVERTISE DISPLAY PERFORMANCE TEXTURE  
MAP SPECIFIC AREA THREE DIMENSION GAME  
SCREEN

**DERWENT-CLASS:** P36 W04 W05

**EPI-CODES:** W04-X02; W05-E03;

SECONDARY-ACC-NO:

Non-CPI Secondary Accession Numbers: N2000-174790

US-PAT-NO: 6036601

DOCUMENT-IDENTIFIER: US 6036601 A

TITLE: Method for advertising over a computer network utilizing virtual environments of games

----- KWIC -----

Abstract Text - ABTX (1):

A method is provided for advertising within the virtual environments of games. Default images of games are replaced by alternative textures having advertisements implemented therein. An ad server coordinates the matching of ads to demographic data of the game player and properly accommodates ads in formats from game information provided by game sources. The game player is visually influenced by advertisements as he or she views the virtual world of the game, as plug-in software replaces the default images with virtual pictures and figures utilizing an advertisement. View statistics are retrieved from the game player's computer or console to rate viewing effectiveness for ad placement confirmation and billing purposes.

TITLE - TI (1):

Method for advertising over a computer network utilizing virtual environments of games

Brief Summary Text - BSTX (3):

The present invention is a method for advertising within virtual environments of games played over a network. Advertisements are used as plug-ins for 3D texture areas within an Internet game, as a non-interactive means of advertising, which is directed to a wide variety of players having a multitude of different demographic profiles.

Brief Summary Text - BSTX (5):

Use of the Internet as a global communications network has dramatically increased over the past decade. A wide variety of companies can market, advertise, and sell their respective products via the worldwide web. The advertising activity can receive effective and immediate responses because the

many users are mindful of the many client software programs (i.e. web browsers) available. The Internet is extensively used for entertainment purposes as well, and repositories for playing games are one of the many services provided by the Internet

Brief Summary Text - BSTX (6):

Known in the art are methods for advertising over a network, and more notably, methods for combining automated casino-type games with real-time product advertising. See U.S. Pat. No. 5,823,879, Goldberg, et al. Information regarding goods or services are exchanged between users as they play games such as blackjack, craps, or roulette, etc. Exchanged advertising information is adapted to be shown to users who fit a general demographic profile. The game players may interactively respond to questionnaires or enticing product information.

Brief Summary Text - BSTX (7):

Advertising is also simultaneously implemented in computer games that enable remote participants to respond to live broadcast sporting games described in U.S. Pat. No. 5,643,088, Vaughn et al. Interactive ad messages are transmitted and downloaded from a central computer system means and made available for immediate feedback by the network user following the game.

Brief Summary Text - BSTX (8):

In conjunction with TV and radio advertisements, ads via the Internet are disruptive, and they are displeasing to a user not looking for such marketing ploys. Also, most advertisers wish to direct the ads towards specific viewers or listeners, but this becomes too difficult over such a vast network, and ads are unintentionally shown to a wide demographic. The wide variety of people using a global network such as the worldwide web makes it difficult for the advertiser to know which advertisement or location of the advertisement is most effective, and, in particular, there is no way of measuring an actual audience. Network game playing servers can match some demographic profiles to aim specific advertisements towards a select user, but the range of the profile is still lacking, as certain games themselves already attract a specific group. Internet game players and worldwide web users want to play interactively in the games, not further encumbered with the interruption of surveys and advertisements. Marketing companies can still, however, advertise effectively within games played over a network that would influence users of a larger demographic profile, while the game player is not disrupted from the game

environment, and is not prompted or asked to focus his/her attention away from the featured game screen.

Brief Summary Text - BSTX (10):

U.S. Pat. No. 5,643,088, Jul. 1, 1997 (Vaughn et al.), shows a game of skill or chance played simultaneously by several participants remote from each other also provides for interleaved interactive **advertising**. Communication means provide to each participant the common game along with interactive **advertising**.

Brief Summary Text - BSTX (11):

U.S. Pat. No. 5,823,879, Oct. 20, 1998 (Goldberg et al.) teaches a game playing method and apparatus for automating games such as blackjack, poker, craps, roulette, baccarat and pai gow. The invention may also be used to play such games on the Internet or an interactive cable television network. During a game, **advertising** is selectively provided by comparing player personal information with a desired demographic profile.

Brief Summary Text - BSTX (16):

It is the objective of the present invention to provide a non-interactive method of **advertising** within game screen environments on the Internet, which does not interrupt the playing of the game, yet exposes the user to the **advertisement**. A variety of shapes and colors that make up patches of a game background are replaced by similar shape ad textures embedded in certain locations of the game. As a game character, or as the viewer himself, walks around or moves in some manner on the game screen or within the game environment, he or she views an **advertisement** in a location normally occupied by a similar shaped wall, picture, or machine, etc. A user playing a game, which he or she has linked to or downloaded from the Internet, controls the movement of a character as seen in the user's view or in third person. As the user views the surroundings and his or her movement, in conjunction with the character's motion within the game environment, a **default graphic texture or figure is replaced** by a plug-in, which **advertises** a product or service provided by an ad server. Within the virtual environment of the game, a character or player is visibly influenced by the **advertisement** and, at the same time, still actively taking part in the playing of the game. This reduces the distracting element of **advertisements** within the gaming environment.

Brief Summary Text - BSTX (17):

It is a secondary objective of the present invention to direct **advertising**

to network game players who fit varying demographic profiles. Many games are played via the Internet that users enjoy, which are directly related to age, sex, income group, etc. In the present method, advertisers would seek user information from a particular database on the game server provided to them from a game user login query. Coupling the variety of games made available over the worldwide web or other server with a particular user's demographic profile would be beneficial to companies or services wishing to direct advertising to particular groups of people matching a desired demographic range.

#### Brief Summary Text - BSTX (18):

It is a third objective of the present invention to include statistical features for each advertisement displayed so the advertiser can rate its effectiveness. The number of times the ad is viewed, the time the ad is displayed on the screen, the game, and the viewer's demographic profile are all provided from the game user computer to the ad server. An advertiser relates directly to an ad server what his or her desired viewer profile and image features are, and in return, the ad server provides the feedback from the user's computer as an identifiable market effectiveness rating. The ad server compiles this information into a form suitable for billing the advertiser and conveying the statistical information to the advertiser.

#### Drawing Description Text - DRTX (2):

FIG. 1 is block diagram showing the relationship between each server and the flow path of the data sent or collected as an advertisement is implemented and a game player logs onto a network.

#### Detailed Description Text - DETX (6):

The ad server 26 contacts advertising sources 30 and provides them with advertising formats corresponding to the shapes of the default textures in the texture information 50 provided by the game sources 32. The ad sources 30 then generate and provide the graphical ad images based on a query from the ad server 26. The ad server 26 can then correlate each ad image to an appropriate format to later load into the plug-in portion of the game server software 22. The ad server 26 also provides a description of the intended demographic profile 13 of the user 1 for the advertising, and any specific requirements for the viewing such as minimum age or sex. A demographic profile 13 of the user 1 can be retrieved from the user 1 or user computer 11 by query and stored in an ad server database 26a, or can be retrieved from a user database 24 by networking to login information. The demographic profile 13 may include a user's age group, sex, income, employment group, residence location, or



ethnicity, etc. A specific rate for 'impressions' is agreed upon based on demographic impressions and the intended target audience.

Detailed Description Text - DETX (8):

A user database 24 is set up on the game server 20 to track the user's high scores and other game related information, as well as to provide a repository for demographic data 13 relevant to the needs of the ad server 26. The ad server 26 can query the user database 24 when presented with a particular information to extract the demographic data 13 corresponding to an ID 53 for the most effective advertising purposes.

Detailed Description Text - DETX (10):

When a user 1 logs onto the game server 20 from his or her computer 11, he or she provides a user ID and preferably a password 53 to authenticate his or herself and allow for retrieval of the game and any demographic data 13. When the user 1 on the computer 11 chooses a game that is enabled by the present invention, the game software 16, now downloaded or installed and running on the computer 11, queries the ad server 26 with the user's ID, game identification, level of play etc. If the ad server 26 has a copy of the user's demographic data 13 in the ad server database 26a, it searches to locate appropriate advertising for the game and user from the advertising sources 30. Otherwise, the ad server 26 queries the user database 24 implemented in the game server 20 for the user's demographic data 13 and performs the ad matching. Upon choosing advertising appropriate for the game and user 1, the ad server 26 presents the information as ad textures 15 to the user's computer 11 for download into a local texture store 14, along with intended viewing profiles. After the ad textures 15 have been received from the ad server 26 and loaded into the local texture store 14, they are loaded as a plug-in 2 to the server software 22, which selects individual advertising material for presentation to the game player inside the virtual environment of the game.

Detailed Description Text - DETX (11):

Once all of the ad textures 15 are loaded and ready, and the user 1 and the game server 20 are ready, play will commence. During play of the game, the game control engine 10 of the computer 11 builds a graphical image out of an internal representation of the virtual space that the game occurs within. It then 'paints', or visually implements, the mathematical representation of the world with textures from the local texture store 14. The game's virtual space

will have several locations, provided in the texture information 50, where the ad textures 15 received from the ad server 26 will be appropriate to display in lieu of the default game textures. These default textures include 3D or 2D models of shapes and figures, video clips, pictures and signs, or other non-interactive features. The plug-in 2 in the game software 16 selects an appropriate ad texture 15 for advertising, which replaces the default texture and presents the ad texture 15 for display in the graphics generations portion 12 of the game. The plug-in 2 of the game software 16, then being implemented by the user computer 11, also keeps track of the view statistics 33. These include the time each ad texture 15 is displayed, the number of ad textures 15 displayed, the size, in terms of pixels, each ad texture 15 occupies, and the type of views that the ad texture 15 is shown as. These view statistics 33 are logged for later download to the ad server 26. Between each level of play, while the game is waiting to synchronize with the game server 20, additional advertising textures 15 and information may be exchanged between the ad server

26 and the user computer 11 having the downloaded plug-in 2 available for advertising within the game. At the completion of the game, the user computer 11 sends score and other statistical information from the user's computer 11 to the game server 20. At this time, the plug-in portion 2 transmits the viewing statistics 33 gathered to the ad server 26. The ad server 26 will then transmit confirmation information to the game server 20 to insure credit for playing the advertising version of the game server software 22.

#### Detailed Description Text - DETX (12):

After the game has been played, the ad server 26 calculates the charges to the advertising sources 30 based on the user demographic profile 13 and the 'fit' (accuracy in the want or need of the advertising source 30) between the intended viewing audience and the actual viewing audience and the number of views or impressions delivered. The ad sources 30 are billed, and upon receipt of the money from the ad sources 30, the company of the game server 20 will be paid their portion of the revenue. They will then pass a portion of the revenue on to the game sources 32, insuring that a steady stream of new content is available for this medium.

#### Claims Text - CLTX (1):

1. A method for providing advertising to a user having a computer, which participates within the virtual space of games played over a network, comprising the steps of:

Claims Text - CLTX (8):

(g) identifying a plurality of ad sources that have the capability of providing a plurality of advertisements to said ad server, adapted to work in conjunction with said game server over said network, each of said advertisements directed to influence said user having said demographic profile, said demographic profile is retrieved from said user by said ad sources and transmitted to said ad server database and stored, and said demographic profile is transmitted from said computer to said user database by a login of said user onto said game server on said network with said user ID;

Claims Text - CLTX (9):

(h) providing to said ad sources a plurality of advertising formats corresponding to said plurality of on-screen items;

Claims Text - CLTX (10):

(i) receiving from said ad sources a plurality of advertising images;

Claims Text - CLTX (11):

(j) correlating each of said advertising images with each of said advertising formats, thereby forming a plurality of ad textures;

Claims Text - CLTX (21):

(b) calculating a plurality of charges to each of said advertising sources based on said demographic profile and said plurality of viewing statistics;